

Wireless Solutions

Specification www.acantenna.com

2.4GHz 15dBi Mimo Flat 4 Ports Panel Antenna

Part No: AC-D24W15X4-33

1. Introduction

The IP65-rated High-Gain MIMO Panel Directional Antenna is made from weatherproof and corrosion-resistant material, and is suited for both indoor and outdoor applications.

MIMO Panel Directional Antenna extends the coverage range of a wireless network in a single direction. It is ideal for delivering extended access range. It requires an access point or wireless router with a extra pigtail cable connect.





Wireless Solutions

Specification www.acantenna.com

2. Specification

z. opecinication	
Electrical	
Frequency Range	2400-2483MHz
Band width	83MHz
F/B Ratio	≥25dB
Gain	4x15dBi
V.S.W.R	<1.5Type;Max 2.0
Radiation	Direction
Horizontal Beam width	18°
Vertical Beam width	18°
Polarization	Vertical and Horizontal
Lightning Protection	DC Grounded
Maximum Input Power	100W
Impedance	50Ω
Connector	4xN Female
Antenna Radome Material	ABS
Mount way	Pole
Diameter of Installation Pole	Ø30~Ø50mm
Mechanical	
Dimensions	330x330x47mm
Weight	2.8KG
Operating Temperature	-40℃ to+80℃
Rated Wind Velocity	60m/s
RoHS Compliant	YES