

2.4GHz Long Range 21dBi Die Cast Grid Antenna

Part No:AC-D24G21

1. Introduction

Grid parabolic antenna is designed for the spread spectrum system, operates in the 2.4-2.5 GHz band and provides 21dBi directional Parabolic Grid antennas operation.

This antenna features high gain, long coverage, lightweight, compact structure and excellent windresistance. It is used for outdoor and the range is up to 5-20 km

2.4 GHz antenna, which focuses the signal and reflects the power off of the dish, creating very high power in a highly directional beamwidth. You can think of the radio signal beam of a high gain parabolic dish / grid antenna as shining a high power flashlight directly at your target.

The higher the parabolic grid's gain, the narrower the beam. The 21dB Grid antenna, is a simple, tested and excellent light weight design, now made out of aluminum and powder coated for years of use. 2-piece dish assembles in minutes, includes all hardware and pieces for assembly.





Wireless Solutions

Specification www.acantenna.com

| 2. Specification | |
|-------------------------------|------------------------|
| Electrical | |
| Frequency Range | 2400-2483 MHz |
| Band width | 83MHz |
| F/B Ratio | ≥20dB |
| Gain | 21dBi |
| V.S.W.R | ≤1.5 |
| Radiation | Direction |
| Horizontal Beam width | 12° |
| Vertical Beam width | 16° |
| Polarization | Vertical or Horizontal |
| Lightning Protection | DC Grounded |
| Maximum Input Power | 100W |
| Impedance | 50Ώ |
| Connector | N Female |
| Cable Type | LMR240 |
| Cable Length | 30cm |
| Antenna Radome Material | Aluminium alloy |
| Mount way | Pole |
| Diameter of Installation Pole | Ø50~Ø70mm |
| Mechanical | |
| Antenna Dimension | 400x600 mm |
| Weight | 2KG |
| Operating Temperature | -40℃ to+80℃ |
| Rated Wind Velocity | 60m/s |
| RoHS Compliant | YES |
| | |